GENERALIZED SUMMARY OF ZONING REGULATIONS CITY OF LOS ANGELES

		Maximum Height			Required yards		Minimum Area		J	Darking
Zone	Use	Stories	Feet	Front	Side	Rear	Per Lot	Per Dwelling Unit	Minimum Lot Width	Parking Required
Agricul	tural									
A1	Agricuttural One-Family Dwellings, Parks, Playgrounds, Community Centers, Golf Courses, Truck Gardening, Extensive Agricultural Uses, Home Occupations	Determined by Height District *10	45 ft. or *6,*10	20% lot depth; 25 ft. max. or *6	10% lot width; 25 ft. max. or *6	25% lot depth; 25 ft. max.	5 acres	2.5 acres	300 ft.	2 spaces per dwelling unit *
A2	Agricultural A1 uses			n. do colonia de colon			2 acres	1 acre	150 ft.	
RA	Suburban Limited Agricultural Uses, One-Family Dwellings, Home Occupations			20% lot depth; 25 ft. max., but not less than prevailing *6	10 ft. or 10% lot width < 70 ft. + 1 ft. for 3 stories or more *6,*7		17,500 sq. ft. *1	17,500 sq. ft. *1	70 ft. •1	2 covered spaces per dwelling unit *
One-Fa	mily Dwelling Units						1			1
RE40	Residential Estate One-Family Dwellings, Parks, Playgrounds,	Determined by Height	45 ft. or *6,*18	20% lot depth;	10 ft. min., + 1 ft. each story over 2 rd *6	25% lot depth; 25	40,000 sq. ft.	40,000 sq. ft. *1	100 ft.	2 covered spaces per
RE20	Community Centers, Di	District *18		25 ft. max., but not less than prevailing	10 ft. min.,+ 1 ft. each story over 2 nd *6,*7	ft. max.	20,000 sq. ft.	20,000 sq. ft.	80 ft.	dwelling unit *6
RE15	Home Occupations			*6	10% lot width; 10 ft. max; 5 ft. min. + 1 ft. each story over 2 nd *6,*7		15,000 sq. ft.	15,000 sq. ft. *1	80 ft. *1	
RE11				Private Constitution	10% lot width < 50 ft.; 5 ft.; 3 ft.		11,000 sq. ft. *1	11,000 sq. ft. *1	70 ft.	
RE9					min. + 1 ft. each story over 2 nd *6,*7		9,000 sq. ft. *1	9,000 sq. ft. *1	65 ft. *1	-
RS	Suburban One-Family Dwellings, Parks, Playgrounds, Community Centers, Truck Gardening, Accessory Living Quarters, Home Occupations			The second secon		20 ft. minimum	7,500 sq. ft.	7,500 Sq. ft.	60 ft.	
R1	One-Family Dwelling RS Uses, Home Occupations			20% lot depth; 20 ft. max., but not less than prevailing	10% lot width < 50 ft.; 5 ft.; 3 ft. min. + 1 ft. each story over 2 nd *6,*7	15 ft. minimum	5,000 sq. ft.	5,000 sq. ft.	50 ft.	2 covered spaces per dwelling unit *0
RU	One-Family Dwelling Factory-built Homes, Mobile Homes, Parks		30 ft.	10 ft.	3 ft. *9	10 ft.	3,500 sq. ft.	3,500 sq. ft.	35 ft.	2 covered spaces per
RZ2.5	Residential Zero Side Yard Dwellings across not		45 ft.	10 ft.	0 fL *3;	0 ft. •3	2,500 sq. ft.	2,500 sq. ft.	30 ft. w/	dwelling unit
RZ3	more than 5 lots *2, Parks, Playgrounds, One-Family Dwellings,		or*B	minimum	3 ft. + 1 ft. for each story over 2 nd	or 15 ft.	3,000 sq. ft.	3,000 sq. ft.	driveway, 25 ft w/o driveway; 20 ft. w/flag,	1
RZ4	Home Occupations			Control of the Contro			4,000 sq. ft.	4,000 sq. ft.	curved or cul-de-sac	
RW1	One-Family Residential Waterways One-Family Dwellings, Home Occupations		30 ft.	The second secon	10% lot width; 3 ft. minimum	15 ft. minimum	2,300 sq. ft.	2,300 sq. ft.	28 ft.	

- Footnotes:

 1 "H" Hillside areas may after these requirements in the RA-H or RE-H zones. Subdivisions may be approved with smaller lots, provided larger lots are also included.
 (Section 12.08.3 B 1 of the Zoning Code.)

 2 Section 12.08.3 B 1 of the Zoning Code.

 3 Section 12.08.3 C 2 and 3 of the Zoning Code.

 4 Height, yard and parking requirements for single family dwellings may be governed by the Hillside Ordinance, Section 12.21 A 17 of the Zoning Code.

 5 Side yard requirements for single family dwellings not in Hillside Areas or Coastal Zone may be governed by the "Big House" Ordinance, ord. 169.775, which has been codified in the yard requirements sections for the relevant zones.

 3 The side yard on one side of the lot may be reduced to zero provided that the remaining side yard is increased to 6 ft., in accordance with Section 12.08.1 C 2 of the Zoning Code.

 - 9 Specific requirements for open space, rear yards, and projections into front yards are in Section 12.08.5 C of the Zoning Code.
 10 Refer to Height District Quick Reference Chart. (Section 12.21.1 through 12.21.5 of the Zoning Code)

		Maximun	n Height		Required yards	3	Minim	um Area		
Zone	Use	Stories	Feet	Front	Side	Rear	Per Lot	Per Dwelling Unit	Minimum Lot Width	Parking Required
Multipl	e Residential									-
R2	Two-Family Dwellings R1 Uses, Home Occupations	Determined by Height District *10	45 ft. or *6,*10	20% lot depth; 20 ft. max., but not less than prevailing	10% lot width 50 ft.; 5 ft.; 3 ft. min.; + 1 ft. for each story over 2 nd	15 ft.	5,000 sq. ft.	2,500 sq. ft.	50 ft.	2 spaces, one covered
RD1.5	Restricted Density Multiple Dwelling One-Family Dwellings, Two-Family Dwellings, Apartment Houses, Multiple Dwellings,			15 ft.	10% lot width < 50 ft.; 5 ft.; 3 ft. min.; + 1 ft. for each story over 2 nd , not to exceed 16 ft. *6	-	5,000 sq. ft.	1,500 sq. ft. 2,000 sq. ft.		1 space per unit < 3 habitable rooms; 1.5 spaces per
RD3	Home Occupations			•	10% lot width, 10 ft. max.; 5 ft.	-	6,000 sq. ft.	3,000 sq. ft.	60 ft.	unit = 3 habitable rooms;
RD4					minimum, *6		8,000 sq. ft.	4,000 sq. ft.		2 spaces per unit > 3 habitable
RD5		- Committee of the Comm		20 ft.	10 ft. minimum	25 ft.	10,000 sq. ft.	5,000 sq. ft.	70 ft.	rooms; uncovered *6
RD6	Mobile Home Park				16		12,000 sq. ft.	6,000 sq. ft.		1 space each guest room (first 30)
RMP	Home Occupations		45 ft. or *10	20% lot depth 25 ft. maximum	10 ft.	25% lot depth 25 ft. max.	20,000 sq. ft.	20,000 sq. ft.	80 ft.	2 covered spaces per dwelling unit
RW2	Two-Family Residential Waterways One-Family Dwellings, Two-Family Dwellings, Home Occupations			10 ft. minimum	10% lot width < 50 ft.; 3 ft. min.; + 1 ft. for each story over 2 nd	15 ft.	2,300 sq. ft.	1,150 sq. ft.	28 ft.	
R3	Multiple Dwelling R2 Uses, Apartment Houses, Multiple Dwellings, Child Care (20 max.)			15 ft.; 10 ft. for key lots	10% lot width < 50 ft.; 5 ft.; 3 ft. min.; + 1 ft. for each story over 2 nd , not to exceed 16 ft.	15 ft.	5,000 sq. ft.	800 sq. ft.; 500 sq. ft. per guest room	50 ft.	same as RD zones
RAS3	Residential/ Accessory R3 Uses, Limited ground floor commercial			5 ft., or average of adjoining buildings	0 ft. for ground floor commercial; 5 ft. for residential	15 ft. adjacent to RD or more restrictive zone; otherwise 5 ft.		800 sq. ft.; 200 sq. ft. per guest room		
R4	Multiple Dwelling R3 Uses, Churches, Schools, Child Care, Homeless Shelter	Determined b District •	y Height 110	15 ft.; 10 ft. for key lots	10% lot width < 50 ft.; 5 ft.; 3 ft. min.; + 1 ft. for each story over 2 nd , not to exceed 16 ft.	15 ft. + 1 ft. for each story over 3 rd ; 20 ft. max.		400 sq. ft.; 200 sq. ft. per guest room		
RAS4	Residential/Accessory R4 Uses, Limited ground floor commercial		And the second s	5 ft., or average of adjoining buildings	0 ft. for ground floor commercial; 5 ft. for residential	15 ft. adjacent to RD or more restrictive zone; otherwise 5 ft.				
R5	Multiple Dwelling R4 Uses, Clubs, Lodges, Hospitals, Sanitariums, Hotels		Andrews and the constitution of the constituti	15 ft.; 10 ft. for key lots	10% lot width < 50 ft.; 5 ft.; 3 ft. min.; + 1 ft. for each story over 2 nd , not to exceed 16 ft.	15 ft. +1 ft. for each story over 3 rd ; 20 ft. max.	5,000 sq. ft.	200 sq. ft.		

Loading Space is required for the RAS3, R4, RAS4, and R5 zones in accordance with Section 12.21 C 6 of the Zoning Code.

Open Space is required for 6 or more residential units in accordance with Section 12.21 G of the Zoning Code.

Passageway of 10 feet is required from the street to one entrance of each dwelling unit or guest room in every residential building, except for the RW, RU, and RZ zones, in accordance with Section 12.21 C2 of the Zoning Code.

- Footnotes:

 *4 Section 12.09.5 C of the Zoning Code. For 3-5 lots the interior side yards may be eliminated, but 4 ft. is required on each side of the grouped lots.

 *6 Height, yard and parking requirements for single family dwellings may be governed by the Hillside Ordinance, Section 12.21 A 17 of the Zoning Code.

 *10 Refer to Height District Quick Reference Chart. (Section 12.21.1 through 12.21.5 of the Zoning Code)

Zone	Use	Maxi Hei	mum ght		Required yards		Minimum Area Per	Minimum Lo
	1	Stories	Feet	Front	Side	Rear	Lot/Unit	Width
Comme	ercial							
CR	Limited Commercial Banks, Hotels, Churches, Schools, Business and Professional Colleges, Child Care, Parking Areas, R4 Uses	6 -10	75 ft. *10	10 ft. minimum	10% lot width; 10 ft. maximum; 5 ft. minimum for commercial lots adjacent to A or R zone or for residential uses	15 ft. minimum + 1 ft for each story over 3 rd	same as R4 for residential uses; otherwise none	50 ft. for residential uses otherwise none
C1	Limited Commercial Local Retail Stores < 100,000 sq. ft., Offices or Businesses, Hotels, Hospitals and/or Clinics, Parking Areas, CR Uses Except for Churches, Schools, Museums, R3 Uses	Determi Height E	District		same as R3 for corner lots, lots adjacent to A or R zone, or residential uses	15 ft. + 1 ft. for each story over 3°t; 20 ft. max. for residential uses or abutting A or R zone	same as R3 zon uses; other	
C1.5	Limited Commercial C1 Uses-Retail, Theaters, Hotels, Broadcasting Studios, Parking Buildings, Parks and Playgrounds, R4 Uses	Por de content comme com a commentation of					same as R4 zon uses; other	
C2	Commercial C1.5 Uses, Retail WLimited Mfg., Service Stations and Garages, Retail Contract Business, Churches, Schools, Auto Sales, R4 Uses	**************************************		none	none for comm same as R4 zone for resic residential	dential uses at lowest	same as R4 for residential uses; otherwise none	same as R4 for residential uses; otherwise none
C4	Commercial C2 Uses with Limitations, R4 Uses	•	!					
C5	Commercial C2 Uses, Limited Floor Area for Mfg. of CM Zone Type, R4 Uses							
CM	Commercial Manufacturing Wholesale, Storage, Clinics, Limited Mfg., Limited C2 Uses, R3 Uses		-		none for comme same as R3 for res		same as R3 for re otherwise	

Loading Space: Hospitals, hotels, institutions, and every building where lot abuts an alley. Minimum loading space is 400 sq. ft.; additional space for buildings > 50,000 sq. ft. of floor area. None for apartment buildings in accordance with Section 12.21 C 6 of the Zoning Code.

Parking. See separate parking handout.

Footnotes:
*10 Refer to Height District Quick Reference Chart. (Section 12.21.1 through 12.21.5 of the Zoning Code)

Zone	Uses	Maximum		Required Yards	· · · · · · · · · · · · · · · · · · ·	Minimum Area	Minimum
Zone	Uses	Height	Front	Side	Rear	Per Lot/Unit	Lot Width
Manuf	acturing						1
MR1	Restricted Industrial CM Uses, Limited Commercial and Manufacturing Uses, Clinics, Media Products, Limited Machine Shops, Animal Hospitals and Kennels	Determined by Height District *10	5 ft. for lots <100 ft. deep; 15 ft. for lots >100 ft. deep		or commercial uses; for residential uses *5	none for industrial or same as R4 zone fo *5	
M1	Limited Industrial MR1 Uses, Limited Industrial and Mfg. Uses, No R Zone Uses, No Hospitals, Schools, Churches, Any Enclosed C2 Use, Wireless Telecommunication, Household Storage		none	The control of the co			
MR2	Restricted Light Industrial MR1 Uses, Additional Industrial Uses, Mortuaries, Animal Keeping		5 ft. for lots <100 ft. deep; 15 ft. for lots >100 ft. deep	none for industrial or commercial uses; same as R4 zone for residential uses *5	none for industrial or commercial uses; same as R4 zone for residential uses	none for industrial or same as R5 zone foi	
M2	Light Industrial M1 and MR2 uses, Additional Industrial Uses, Storage Yards, Animal Keeping, Enclosed Composting, No R Zone Uses		none	same as R5 zone for residential uses *5	*5		
M3	Heavy Industrial M2 Uses, Any Industrial I Uses, Nuisance Type Uses 500 ft. from any Other Zone, No R Zone Uses			nc	one	none	3

Loading Space: Institutions, and every building where lot abuts an alley. Minimum loading space is 400 sq. ft.; additional space for buildings > 50,000 sq. ft. of floor area. None for apartment buildings < 30 units, in accordance with Section 12.21 C 6 of the Zoning Code.

Parking. See separate parking handout.

Zone	Hen	Use Maximum Required yards	Minimum Area	Minimum			
Lone Use	Height	Front	Side	Rear	per Lot/Unit	Lot Width	
Parkin	9						•
P	Automobile Parking-Surface and Underground Surface Parking, Land in a P Zone may also be Classified in A or R Zone	Determined by Height District *10	10 ft. in combination with an A or R Zone; otherwise none	Area regulations of A a residenti		none, unless also in an	
PB	Parking Building P Zone Uses, Automobile Parking Within a Building		0 ft., 5 ft., or 10 ft., depending on zoning frontage and zoning across the street	5 ft. + 1 ft. each story above 2 nd if abutting or across street and frontage in A or R Zone	5 ft. + 1 ft. each story above 2 nd if abutting A or R Zone	none	
Open S	Space/ Public Facilities/Su	ibmerged La	nds				
os	Open Space Parks and Recreation Facilities, Nature Reserves, Closed Sanitary Landfill Sites, Public Water Supply Reservoirs, Water Conservation Area	none		none		none	
PF	Public Facilities Agricultural Uses, Parking Under Freeways, Fire and Police Stations, Government Buildings, Public Libraries, Post Offices, Public Bementary and Secondary Schools	none		none		none	
SL	Submerged Lands Navigation, Shipping, Fishing, Recreation	none		none		none	

Footnotes:

*5 Section 12.17.5 B 9 (a). Dwelling considered as accessory to industrial use only (watchman or caretaker including family).

*10 Refer to Height District Quick Reference Chart. (Section 12.21.1 through 12.21.5 of the Zoning Code)

HEIGHT DISTRICT QUICK REFERENCE CHART

						ŀ	leight	District							
Zone		1 1-L			1-VL 1-XL			2		3		4			
	Height	Hillside or Coastal Zone	FAR	Height	FAR	Height	FAR	Height	FAR	Height	FAR	Height	FAR	Height	FAR
Α	45 ft.										·				
RA	36 ft. †														
RE40	45 ft.											ŀ			
RE20															
RE15	36 ft. †	45 ft.										İ			
RE11															
RE9					•					No Limit		No Limit		No Limit	
RS	33 ft. †	ALCOHOLD STATE OF THE STATE OF				not to									
R1						exceed				l					
RU		30 ft.				3 stories or 45 ft. ‡									
RZ		45 ft.				01 43 16.4									
RW1		30 ft.	3:1				3:1		3:1						
R2	33 ft. †	1000	5.1				.								
RD								not to	1	75 ft. or 6 stories ‡		75 ft. or 6 stories ‡		75 ft. or 6 stories ‡	
RMP	1	45 ft.		not to exceed	3:1			exceed					40.4		42.4
RW2	45 ft.			6 stories				2 stories or 30 ft.		No Limit	6:1	No Limit	10:1		13:1
R3		and the second second		or 75 ft.				‡		75 ft. or 6 stories ‡		75 ft. or 6 stories ‡			
RAS3	<u> </u>		-			50'					1	5.5.1.5. 7	1		
R4		No Limit	Company of the Compan		(co manos manages a no la co mandilitiis)	not to exceed 3 stories or 45 ft. ‡	NAMES AND ADDRESS OF TAXABLE PARTY.			No Limit		No Limit		No Limit	
RAS4]					50'									
R5									L						1
CR	75 ft	. or 6 stories								75 ft. or 6 stories ‡		75 ft. or 6 stories ‡		75 ft. or 6 stories ‡	
С						not to		1							
СМ			1.5:1			exceed 3 stories	1.5:1		1.5:1					İ	
MR		No Limit				or 45 ft. ‡			1	No Limit		No Limit		No Limit	
М														1	
Р			3:1		No Limit		No Limit		No Limit						
PB				2 st	ories					6 stor	ies	10 sto	ries	13 stor	ries

CNN (Century City North) Height District - Sec. 12.21.2 **CCS** (Century City South) Height District - Sec. 12.21.2

CRA (Community Redevelopment Agency) Height District - Sec. 12.21.3

EZ (Enterprise Zone) Height District - Sec. 12.21.4 CSA (Centers Study Area) Height District - Sec. 12.21.5

† May exceed height limit to meet average height of 40% or more of dwellings on both sides of same street for the length of the block. (Sec. 12.21.1 3rd unnumbered paragraph)
 ‡ A building designed and used entirely for residential purposes shall only be limited to the number of feet in height. (Sec. 12.21.1 5rd unnumbered paragraph) and 12.21.1 A 1 Exception)

NOTE: Specific Plan, HPOZ or Tract conditions shall take precedence over the height restrictions and may increase or decrease the maximum height for a given property

Transitional Height: Portions of buildings in C or M zones within certain distances of RW1 or more restrictive zones shall not exceed the following Height limits, in accordance with Section 12.21.1 A 10 of the Zoning Code:

Distance (ft)	Height (ft)
0-49	25
50–99	33
100–199	61

Zone Prefixes (Section 12.32 of the Zoning Code)

Tentative Zone Classification	City Council requirements for public improvements as a result of a zone change-see Council File
Qualified Classification	Restrictions on property as a result of a zone change, to ensure compatibility with surrounding property
Development Limitation	Restricts height, floor area ratio, percent of lot coverage, building setbacks
-	Qualified Classification

Supplemental Use Districts—to regulate uses which cannot adequately be provided for in the Zoning Code (Section 13.00 of the Zoning Code)

Other	Zoning	Designations	

CA	Commercial and Artcraft
CDO	Community Design Overlay
FH	Fence Height
G	Surface Mining
K ·	Equinekeeping
MU	Mixed Use
0	Oil Drilling
POD	Pedestrian Oriented District
RPD	Residential Planned Development
s	Animal Slaughtering
SN	Sign

ADP	Alameda District Specific Plan
ccs	Century City South Studio Zone
CSA	Centers Study Area
cw	Central City West Specific Plan
GM	Glencoe/Maxella Specific Plan
HPOZ	Historic Preservation Overlay Zone
LASED	LA Sports & Entertainment S.P.
ох	Oxford Triangle Specific Plan
PKM	Park Mile Specific Plan
PV	Playa Vista Specific Plan
wc	Warner Center Specific Plan

THIS SUMMARY IS ONLY A GUIDE. DEFINITIVE INFORMATION SHOULD BE OBTAINED FROM THE ZONING CODE ITSELF AND FROM CONSULTATION WITH THE DEPARTMENT OF BUILDING AND SAFETY.

CP-7150 (7/31/03) (Rv 10/23/03)